



SAFETY DATA SHEET

B454

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name B454

Container size 20g

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive.

1.3. Details of the supplier of the safety data sheet

Supplier Bondloc UK Ltd
Units 1 & 2 Bewdley Business Park
Long Bank
Bewdley
Worcestershire
DY12 2TZ
United Kingdom
+44 (0)1299 269269
+44 (0)1299 269210
sales@bondloc.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0)1299 269269

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

B454

Precautionary statements	<p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P312 Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	--

Supplemental label information EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Contains ethyl 2-cyanoacrylate

2.3. Other hazards**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

ethyl 2-cyanoacrylate	60-100%
CAS number: 7085-85-0	EC number: 230-391-5
Classification	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
STOT SE 3 - H335	
1,4-dihydroxybenzene	<1%
CAS number: 123-31-9	EC number: 204-617-8
M factor (Acute) = 10	
Classification	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Muta. 2 - H341	
Carc. 2 - H351	
Aquatic Acute 1 - H400	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

General information Get medical advice/attention if you feel unwell.

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

B454

Ingestion	Ensure that breathing passages are not obstructed. The product will polymerise immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours).
Skin contact	If adhesive bonding occurs, do not force skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water. Cyanoacrylates give off heat on solidification. In rare cases a large a large drop will generate enough heat to cause a burn. Burns should be treated normally after the adhesive has been removed from the skin if lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll lips apart. Do not try to pull apart with direct opposing action.
Eye contact	If the eye is bonded closed, release eyelashes with warm water by covering with wet pad. cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to de-bond the adhesive. Keep eye covered until de-bonding is complete, usually within in 1-3 days. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage.

4.2. Most important symptoms and effects, both acute and delayed

General information	Treat symptomatically.
Inhalation	May cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Apply a pad soaked in warm water and allow the eyelids to separate. If adhesive bonding occurs, prise the skin apart slowly, working from the edge of the bonded area. Treat symptomatically.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder. Water spray.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended.

5.3. Advice for firefighters

Protective actions during firefighting Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Provide adequate ventilation. Do not use cloths for mopping up. Polymerise with water and scrape off floor.

6.4. Reference to other sections

B454

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For personal protection, see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a well-ventilated place. Keep away from heat, sparks and open flame.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ethyl 2-cyanoacrylate

Short-term exposure limit (15-minute): WEL 0.3 ppm 1.5 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Eye/face protection Wear eye protection.

Hand protection Wear protective gloves made of the following material: Nitrile rubber. Do NOT use Polyvinyl chloride (PVC). nylon cotton

Other skin and body protection Wear suitable protective clothing made of the following material: Nitrile rubber.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Gel.
Colour	Clear.
Odour	Irritating.
Odour threshold	Not available.
pH	Not applicable.
Melting point	No information available.
Initial boiling point and range	150°C @
Flash point	87°C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

B454

Upper/lower flammability or explosive limits	No information available.
Vapour pressure	>0.2 mm Hg @ °C
Vapour density	No information available.
Relative density	1.05g/cm ³
Solubility(ies)	Insoluble in water. Hardens in contact with water.
Partition coefficient	No information available.
Auto-ignition temperature	500°C
Decomposition Temperature	No information available.
Explosive properties	No information available.

9.2. Other information

Other information	None.
Volatile organic compound	20 g/l

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	See the other subsections of this section for further details.
-------------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Polymerisation will occur in the presence of moisture and other basic materials. Amines. Alkalis. Alcohols.
---	---

10.4. Conditions to avoid

Conditions to avoid	Not known.
----------------------------	------------

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents. Strong acids.
---------------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	In combustion emits toxic fumes
---	---------------------------------

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Toxicological effects	Considered low toxicity.
Inhalation	May cause irritation.
Ingestion	May cause stomach pain or vomiting. There maybe soreness and redness of the mouth and throat.
Skin contact	Bonds skin and eyes in seconds. May cause skin irritation. May cause irritation. Redness.
Eye contact	may cause Pain. Redness. Profuse watering of the eyes. Visual disturbances, including blurred vision. May cause permanent visual damage

B454

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product.

12.1. Toxicity

Ecotoxicity

Toxicity Low

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No potential for bioaccumulation.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility Readily absorbed into soil

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

General Not regulated.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 18 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Dangerous Preparations Directive 1999/45/EC.

B454**15.2. Chemical safety assessment****SECTION 16: Other information**

Revision date	08/10/2021
Revision	1
Supersedes date	18/09/2014
SDS number	4668
Hazard statements in full	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is considered accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.